



THE **miami**™
CORPORATION


www.miamicorp.com
800.543.0448

Counterpane

BY ENDURATEX



COUNTERPANE



Almond Cream
CTP-904



Cardinal
CTP-901



Dark Cherry
CTP-512



Pearl
CTP-909



Greystone
CTP-508



Snow
CTP-906



Ebony
CTP-908



Bruin Blue
CTP-902



Almond Cream
CTP-904



Antique Taupe
CTP-511



Off White
CTP-905



Trolley Grey
CTP-510



Navy
CTP-507



Mist
CTP-907



Sand Dollar
CTP-903



Briquette
CTP-509



COUNTERPANE

COUNTERPANE with **PRODURATECT™ M** top finish is manufactured to meet the following typical properties:

Width	54"
Roll Size	30 yds.
Nominal Weight.....	30 oz. per Lin. yard
Contents	100% Virgin Vinyl
Cold Crack	(-)10°F
UV Stabilized Pigments.....	500 hours minimum
Abrasion Resistance.....	Wyzenbeek (100,000 cycles #10 cotton duck)
Class Ratings	ASTM D 3690 - Class A
Thickness	1.05 mm
Anti-Bacterial/Anti-Microbial (AATCC 147 / ASTM G-21).....	Pass
Mildew Resistant.....	Front and Back

Compatible with commercially available adhesives.

Suggested Applications:

Marine, RV, Office, Massage Tables,
Lounge Seating, Conference Rooms.

Meets flammability requirements*:

- CIDA-A-2950
- Motor Vehicle Safety Standard 302
- California Technical Bulletin 117-2013, Section 1
- New York and New Jersey Port Authority
- Boston Fire Dept. Code
- NFPA 260 Class 1
- BIFMA Class A
- UFAC Class A

*This term and any corresponding data refer to typical performance in the specific test indicated and should not be construed to imply the behavior of this or any other material under actual fire conditions.

This product has been treated with anti-bacterial and anti-microbial agents that will provide resistance to the following:

(AATCC Test Method 147)

Bacillus Mycoides	Straphylococcus Aureus
Klebsiella Pneumoniae	Bacillus Cerus
Proteus Vugaris	Enterococcus Faecalis
Straphylococcus Aureus	Escherichia Coli

Cleaning Instructions:

This product should be cleaned with mild soap and water. Do not use alcohol based cleaners.



www.miamicorp.com
800.543.0448